

OHIO

STATE EMERGENCY RESPONSE COMMISSION EMERGENCY PLANNING & COMMUNITY RIGHT-TO-KNOW

pg. 1 of 2

Section 311 Report

Date Submitted 2-19-88Check if this is a revision to a previous 311 report. (1)Carroll
(2) CountyBurns Cold Forge
(3) Facility NameMasco Industries, Inc.
(4) Corporate NameMasco Industries, Inc.
(3) DivisionP.O. Box
(4)9312 Arrow Rd. NW
(3) Street AddressStreet
(4)Minerva, Ohio 44657
(3) City ZipCorporate Address/Zip
(if different than
the mailing address)J. William Mills
(5) Facility E.R. Coordinator
S. E. Williams(216) 832-2618
(6) Phone No.(s)
(216) 868-7795

(7) Alternate Facility E.R.Coordinator

(8) 24 Hour Emergency Number

(9) CERTIFICATION OF COMPANY OFFICIAL

I certify that all statements made by me are true, complete and correct to the best of my knowledge. I am aware that there are significant penalties for submitting false information.

Signature Gary L. Blasiman Date 2-19-88 Phone Number (216) 868-7795Name(print) Gary L. Blasiman Title Project Engineer

Return the Original to SERC at the Ohio EPA, 1800 WaterMark Drive, P.O. Box 1049, Columbus, Ohio 43266-0149. Send a copy to your county local emergency response planning committee and your local fire department.

US EPA RECORDS CENTER REGION 5



OHIO REQUESTED INFORMATION

(10) Fire Dept.Phone (216) 868-4177
Municipality/Twp. _____(11) Number of employees usually
at the facility 100

Location and Further Identification of Facility Named Above:

81° - 10' - 00"
(12) longitude40° - 42' - 48"
(12) latitudeS13217-00
(13) I.D. No.3462
(14) SICNO66*AD
(15) NPDES #
EPA 0310Pretreatment #
(13)OHDO04213047
(17) Hazardous #Air #
(18)


CHEMICAL INVENTORY AND LOCATION FORM

IDENTIFICATION NUMBER	FACILITY IDENTIFICATION		
	NAME Burns Cold Forge		CITY, STATE, ZIP Minerva, Ohio 44657
	ADDRESS 9312 Arrow Rd. NW		COUNTY Carroll

CHEMICAL DESCRIPTION								HAZARD CATEGORIES					LOCATION OF CHEMICALS						AMOUNT			
CAS REGISTRY NO.	SPECIFIC CHEMICAL NAME	PURE	MIXTURE	COMPONENTS	SECTION 302 CHEMICAL	SOLID	LIQUID	GAS	ACUTE	CHRONIC	FIRE	REACTIVE	SUDDEN RELEASE OF PRESSURE	BUILDING OR TANK NUMBER	DIVISION OR ROOM LOCATION	FLOOR	PROB. CODE	STORAGE TYPES	TEMP. & PRESSURE CONDITIONS	MAXIMUM	AVERAGE	GALS. OR PNDOS. OR CU. FT.
7664-93-9	Sulfuric Acid		X		X		X		X	X		X		B01	W	1	5	E	1,4	04	03	Gal
NONE	Gasoline		X				X		X	X	X			T01		B	5	B	1,4	05	05	Gal

DECLARATION (READ AND SIGN AFTER COMPLETING ALL SECTIONS): I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED IN THIS AND ALL ATTACHED DOCUMENTS, AND THAT BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE.														ATTACHMENTS	
* Gary L. Blasiman Project Engineer														<input checked="" type="checkbox"/> I HAVE ATTACHED A FACILITY MAP	
NAME AND OFFICIAL TITLE OF OWNER OR OWNER'S AUTHORIZED REPRESENTATIVE														<input type="checkbox"/> OTHER ATTACHMENTS	
SIGNATURE														DATE SIGNED	

NORTH



ARROW ROAD

BOI

X

SULFURIC
ACID

W

PAVED AREA
FOR PARKING

V

U
T

GASOLINE
TOI

J

S

PAVED
AREA

R

K

H

I

G

F

N

O

Q

P

M

L

E

B

C

D

A

PAVED AREA
FOR PARKING

— BURNS COLD FORGE —
9312 ARROW RD NW
MINERVA, OHIO 44657